

IN THE CLAIMS:

BEST AVAILABLE COPY

Amend the claims as follows:

Sub
F1

1. (Currently amended) A molded block for a paving-stone covering, made of concrete, having approximately the shape of a cube, each face of said molded block having at least a portion which is planar, the perpendicular distances between the planar portions of the opposite faces of said molded block being substantially equal, at least a first one of the faces of said molded block being substantially planar over substantially its entire surface area, and having substantially planar faces, at least a second one face of said cube- of said faces having at least one rounded portion extending toward one side edge of said cube- molded block over at least 1/6 of said at least one face.

3

2. (Currently amended) A molded block according to Claim 1, wherein said cube-molded block is shaped and the cube- molded block faces are formed so that each of the cube- molded block faces can be used as a horizontal upper face at the same height during laying.

3. (Previously Amended) A set of molded blocks made of concrete comprising a first molded block according to claim 1, a second molded block having an oblong shape, with a width and height of edge dimension L equal to that of said cube and a length of edge dimension 2L, whereby said second molded block can be rotated through 90° and/or 180° about its horizontal longitudinal axis during laying, with a constant block height.

BEST AVAILABLE COPY

Sub F1
4. (Previously Amended) A set of molded blocks made of concrete comprising a first molded block according to claim 1, and a second molded block in the form of a one-piece block which is square in plan view and with dimensions of four cubes with the size of said first mentioned cube lying beside one another.

5. (Previously Amended) A molded block according to claim 1, wherein the radius of curvature of the rounded portion moving toward said side edge is formed as a curve with, in plan view or side view, a radius of curvature which decreases constantly toward the said side edge.

6. (Previously Amended) A molded block according to claim 1, wherein a face of the molded block is shaped to form a clothoid extending toward said side edge over approx. 1/4 to 1/6 of the cube length.

7. (Currently Amended) A molded block according to claim 1, wherein at least one side edge of said ~~cube~~ molded block is formed to be sharp-edged.

8. (Previously Amended) A molded block according to claim 1, having clothoidal rounded portions on at least two opposing side faces.

9-11 (Canceled)

Sub
F1
12. (New) A molded block as recited in claim 1 wherein said molded block has two opposite faces which are substantially planar over their entire surface areas.

13. (New) A laid set of blocks comprising molded blocks according to claim 1 laid adjacent to one another in a pattern wherein some of said molded blocks of said set have as their upper surfaces the faces which are substantially planar over substantially their entire surface areas and some of said molded blocks of said set have as their upper surfaces the faces having rounded portions, wherein the upper surface of each of the blocks of said set is at the same height.